

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.01.2020 Revision: 11.12.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: STALOC multicleaner SQ-225, 500 ml

Article number: 104409053

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

\* Application of the substance / the mixture Cleaning agent/ Cleaner

## 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Stankovsky Industrieprodukte Handels GmbH Flachenauergutstraße 8 4020 Linz

AUSTRIA
Tel.: +43 732 221877
e-Mail: office@staloc.com
www.staloc.com

Further information obtainable from: Product safety department

1.4 Emergency telephone number: EU emergency phone number: 112

# SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms





GHS02

GHS07

Signal word Danger

#### Hazard-determining components of labelling:

acetone

#### **Hazard statements**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

(Contd. on page 2)



Printing date 22.01.2020 Revision: 11.12.2018

Trade name: STALOC multicleaner SQ-225, 500 ml

(Contd. of page 1)

Page 2/8

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

3.2 Chemical characterisation: Mixtures

\* **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8	acetone	♠ Flam. Liq. 2, H225; ♠ Eye Irrit. 2, H319; STOT SE 3, H336	>50-≤100%	
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol	♠ Flam. Liq. 2, H225; ♠ Eye Irrit. 2, H319	>10-≤25%	
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	propan-2-ol	♠ Flam. Liq. 2, H225; ♠ Eye Irrit. 2, H319; STOT SE 3, H336	>2.5-<10%	
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide	Press. Gas (Comp.), H280	>2.5-≤10%	

Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- \*After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)



Printing date 22.01.2020 Revision: 11 12 2018

Trade name: STALOC multicleaner SQ-225, 500 ml

(Contd. of page 2)

Page 3/8

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

#### Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

#### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

67-64-1 acetone

IOELV Long-term value: 1210 mg/m³, 500 ppm

124-38-9 carbon dioxide

IOELV Long-term value: 9000 mg/m³, 5000 ppm

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eves.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Printing date 22.01.2020 Revision: 11.12.2018

Trade name: STALOC multicleaner SQ-225, 500 ml

(Contd. of page 3)

Page 4/8

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:

Safety glasses



Tightly sealed goggles

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
General Information		
Appearance:		
Form:	Aerosol	
Colour:	Colourless	
Odour:	Solvent-like	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	2: -78.5 °C	
Flash point:	<-18 °C	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	425 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
Explosion limits:		
Lower:	2.6 Vol %	
Upper:	13 Vol %	
Vapour pressure at 20 °C:	5,500 hPa	
Density at 20 °C:	0.8 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	

(Contd. on page 5)



Printing date 22.01.2020 Revision: 11.12.2018

Trade name: STALOC multicleaner SQ-225, 500 ml

(Contd. of page 4)

Page 5/8

Viscosity:
Dynamic:
Not determined.
Kinematic:
Not determined.

Solvent content:
Organic solvents:
9.2 Other information
Not determined.
Not determined.
Not determined.

# SECTION 10: Stability and reactivity

- \* 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- \*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \* 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \* 10.4 Conditions to avoid No further relevant information available.
- \* 10.5 Incompatible materials: No further relevant information available.
- \* 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:			
67-64-1 acetone			
Oral	LD50	5,800 mg/kg (rat)	
Dermal	LD50	20,000 mg/kg (rabbit)	
64-17-5 ethanol			
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	LC50/4 h	20,000 mg/l (rat)	
67-63-0 propan-2-ol			
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	30 mg/l (rat)	

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \* Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 22.01.2020 Revision: 11.12.2018

Trade name: STALOC multicleaner SQ-225, 500 ml

(Contd. of page 5)

Page 6/8

# **SECTION 12: Ecological information**

- 12.1 Toxicity
- \* Aquatic toxicity: No further relevant information available.
- \* 12.2 Persistence and degradability No further relevant information available.
- \* 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- \*Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

11	1	"	A I	MI.	ım	ber
14.	1	U	IV-	NL	ım	ber

· ADR, IMDG, IATA UN1950

14.2 UN proper shipping name

ADR 1950 AEROSOLS IMDG AEROSOLS

· IATA AEROSOLS, flammable

- 14.3 Transport hazard class(es)
- ADR



Class 2 5F Gases.
Label 2.1

**Label** 2.1

IMDG, IATA



Class 2.1



Printing date 22.01.2020 Revision: 11.12.2018

Trade name: STALOC multicleaner SQ-225, 500 ml

(Contd. of page 6)

Page 7/8

	(Contd. of page 6			
Label	2.1			
14.4 Packing group				
ADR, IMDG, IATA	not regulated			
14.5 Environmental hazards:	Not applicable.			
14.6 Special precautions for user	Warning: Gases.			
Danger code (Kemler):	-			
EMS Number:	F-D,S-U			
Stowage Code	SW1 Protected from sources of heat. SW2 Clear of living quarters.			
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except fo division 1.4.			
	For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:			
	Segregation as for the appropriate subdivision of class 2.			
14.7 Transport in bulk according to Ann	nex II of			
Marpol and the IBC Code	Not applicable.			
Transport/Additional information:				
·ADR				
Limited quantities (LQ)	1L			
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity			
Transport category	2			
Tunnel restriction code	D			
·IMDG				
Limited quantities (LQ)	1L			
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity			
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1			

# SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P3b FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- \* REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- \* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Printing date 22.01.2020 Revision: 11.12.2018

Trade name: STALOC multicleaner SQ-225, 500 ml

(Contd. of page 7)

Page 8/8

### Relevant phrases

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

### Department issuing SDS: Product safety department

· Contact: Hr Stankovsky

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas

Flam. Liq. 2: Flammable liquids – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3