

TECHNICAL DATASHEET

STALOC CONTACT CLEANER SPRAY

SQ-445

PRODUCT DESCRIPTION

STALOC Contact Cleaner spray is used to clean electrical contacts, providing for long-lasting conductivity. The product can be used on all types of electrical contacts, especially on

- cars, trucks, construction machines, motorbikes and all other types of vehicles
- electrical components e.g. circuits, valves, print boards, printing plates, plugs, etc.
- electrical equipment e.g. radio, tools, stereos, etc.

STALOC Contact Cleaner spray does not leave residues and repels moisture. The can is equipped with a 360° valve, ensuring that you can use the can in any position.

APPLICATION

Recommended application – further information can be found in the material safety data sheet

The can is best used when it is stored and used at room temperature. Switch off electronic and electrical equipment before use so that there is no current at all. Shake for 2 minutes before use. Apply agent by spraying from a short distance. Provide for enough evaporation time (15 minutes at room temperature). Only then turn on equipment.

TECHNICAL PROPERTIES

ATTRIBUTE	UNIT	SPECIFICATION
colour		transparent
chemical basis		aliphatic Hydrocarbons with alcohol

SAFETY INFORMATION

Please send your request for the latest version of the material safety data sheet (MSDS).

PACKAGING / VOLUME

400 ml 520 3e / 12 pcs. per box

The information and data in this document are for information purposes only. STALOC cannot take responsibility for the results obtained by a third party, whose methods are not under STALOC control. The determination of the suitability for the user's purpose of any STALOC product is the responsibility of the client. Consequently, STALOC recommends testing of the products before using it for a series application. Moreover, it is the responsibility of the customer to ensure a safe environment for the user. STALOC therefore disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of STALOC products. STALOC cannot be held liable for any consequential or incidental damage resulting from the use of a STALOC product, including lost profits or damages of any other kind. Products or processes mentioned herein might be subject to released or pending patents or licences.

Issued: 04.05.2012

